

## 平成 16 年度 R I 総合研究施設利用研究論文一覧

### 医学系研究科

#### 脳科学専攻

#### 脳細胞遺伝学

Manaka J, Kuraishi T, Shiratsuchi A, Nakai Y, Higashida H, Henson P, Nakanishi Y. Draper-mediated and phosphatidylserine-independent phagocytosis of apoptotic cells by *Drosophila* hemocytes/macrophages. *J Biol Chem*. 2004 Nov 12;279(46):48466-76.

Noda M, Higashida H, Aoki S, Wada K. Multiple signal transduction pathways mediated by 5-HT receptors. *Mol Neurobiol*. 2004 Feb;29(1):31-9.

#### がん医科学専攻

#### がん遺伝子治療学

Nakamoto Y, Suda T, Momoi T, Kaneko S. Different procarcinogenic potentials of lymphocyte subsets in a transgenic mouse model of chronic hepatitis B. *Cancer Research*. 64(9):3326-3333.

Kitamura K, Nakamoto Y, Kaneko S, Mukaida N. Pivotal roles of interleukin-6 in transmural inflammation in murine T cell transfer colitis. *J Leukocyte Biol*. 76(6):1111-1117.

Yamashita T, Honda M, Takatori H, Ryuhei Nishino R, Hoshino N, Kaneko S. Genome-wide transcriptome mapping analysis identifies organ-specific gene expression patterns along human chromosomes. *Genomics*. 84(5):867-875.

Shimakami T, Hijikata M, Luo H, Ma YY, Kaneko S, Shimotohno K, Murakami S. Effect of interaction between Hepatitis C Virus NS5A and NS5B on Hepatitis C Virus RNA Replication with the Hepatitis C Virus Replicon. *J Virol*. 78(6):2738-2748.

Ma Y, Shimakami T, Luo H, Hayashi N, Murakami S. Mutational analysis of hepatitis C virus NS5B in the subgenomic replicon cell culture. *J Biol Chem*. 279(24):25474-25482.

Takamura T, Sakurai M, Ota T, Ando H, Honda M, Kaneko S. Genes for systemic vascular complications are differentially expressed in the livers of Type 2 diabetic patients. *Diabetologia*. 47(4):638-647.

#### バイオトレーサー診療学

Kinuya S, Li X-F, Yokoyama K, Mori H, Shiba K, Watanabe N, Shuke N, Bunko H, Michigishi T, Tonami N. Hypoxia as a factor for Ga-67 accumulation in tumor cells. *Nucl Med Commun* 2004;25(1):49-53.

Kinuya S, Yokoyama K, Michigishi T, Tonami N. Optimization of radioimmunotherapy interactions with hyperthermia. *Int J Hyperthermia* 2004;20(2):190-200.

Kinuya S, Li X-F, Yokoyama K, Koshida K, Mori H, Shiba K, Watanabe N, Shuke N, Bai J, Michigishi T, Tonami N. Improved survival of mice bearing liver metastases of colon cancer cells treated with a combination of radioimmunotherapy and antiangiogenic therapy. *Eur J Nucl Med Mol Imaging* 2004;31(7):981-985.

Kinuya S, Li X-F, Yokoyama K, Mori H, Shiba K, Watanabe N, Shuke N, Bunko H, Michigishi T, Tonami N. Limitations of <sup>99m</sup>Tc-tetrofosmin in assessing reversal effects of verapamil on the

function of multi-drug resistance associated protein 1. Nucl Med Commun 2004 Jun;25(6):585-589.

Taki J, Higuchi T, Kawashima A, Tait JF, Kinuya S, Muramori A, Matsunari I, Nakajima K, Tonami N, Strauss HW. Detection of cardiomyocyte death in a rat model of ischemia and reperfusion using <sup>99m</sup>Tc-labeled annexin V. J Nucl Med. 2004 Sep;45(9):1536-1541.

Bai J, Yokoyama K, Kinuya S, Shiba K, Matsushita R, Nomura M, Michigishi T, Tonami N. In vitro detection of *mdr1* mRNA in murine leukemia cells with <sup>111</sup>In-labeled oligonucleotide. Eur J Nucl Med Mol Imaging. 2004 Nov;31(11):1523-1529.

Washiyama K, Amano R, Sasaki J, Kinuya S, Tonami N, Shiokawa Y, Mitsugashira T. <sup>227</sup>Th-EDTMP: a potential therapeutic agent for bone metastasis. Nucl Med Biol. 2004 Oct;31(7):901-908.

絹谷清剛. 放射性化合物内照射療法と血管新生阻害療法との同調効果による癌転移の制御. メディカルトレンド 2004;19(7):44.

滝 淳一、樋口隆弘、絹谷清剛、村守 朗、中嶋憲一、利波紀久、川島篤弘、松成一朗. 虚血心筋におけるプログラム細胞死アポトーシスの画像化に関する核医学的研究. メディカルトレンド 2004;19(7):45.

### 再生分子医学

Nakayama, N., Han, C.Y., Cam, L, Lee, J.I., Pretorius, J., Fisher, S., Rosenfeld, R., Scully, S., Nishinakamura, R., Duryea, D., Van, G, Bolon, B., Yokota, T. and Zhang, K.: A novel chordin-like BMP inhibitor, CHL2, expressed preferentially in chondrocytes of developing cartilage and osteoarthritic joint cartilage. Development 131: 229-240, 2004.

Hai, E., Ikura, Y., Naruko, T., Shirai, N., Yoshimi, N., Kayo, S., Sugama, Y., Fujino, H., Ohsawa, M., Tanzawa, K., Yokota, T. and Ueda, M.: Alterations of endothelin-converting enzyme expression in early and advanced stage of human coronary atherosclerosis. Int. J. Mol. Med. 13: 649-654, 2004.

Yoshida-Koide, U., Matsuda, T., Saikawa, K., Nakanuma, Y., Yokota, T., Asashima, M., and Koide, H.: Involvement of Ras in extraembryonic endoderm differentiation of embryonic stem cells. Biochem. Biophys. Res. Commun. 313: 475-481, 2004.

Shibata, S. and Lee, J.T.: Six transcription-versus RNA-based mechanisms in Xist repression and epigenetic choice. Curr. Biol. 14: 1747-1754, 2004.

### 細胞移植学

Takami A, Sugimori C, Feng X, Yachie A, Kondo Y, Nishimura R, Kuzushima K, Kotani T, Asakura H, Shiobara S, Nakao S. Expansion and activation of minor histocompatibility antigen HY-specific T cells associated with graft-versus-leukemia response. Bone Marrow Transplant. 2004 Oct;34(8):703-9.

Feng X, Chuhjo T, Sugimori C, Kotani T, Lu X, Takami A, Takamatsu H, Yamazaki H, Nakao S. Diazepam-binding inhibitor-related protein 1: a candidate autoantigen in acquired aplastic anemia patients harboring a minor population of paroxysmal nocturnal hemoglobinuria-type cells. Blood. 2004 Oct 15;104(8):2425-31. Epub 2004 Jun 24.

## 循環医学専攻

### 血管分子生物学

Li, H., Yonekura, H., Kim, C.-H., Sakurai, S., Yamamoto, Y., Takiya T., S., Futo, Watanabe, T., Yamamoto, H.: Possible participation of *pICln* in the regulation of angiogenesis through alternative splicing of VEGF receptor mRNAs. *Endothelium* 11 (5-6): 293-300 (2004)

Miura, J., Uchigata, Y., Yamamoto, Y., Takeuchi, M., Sakurai, S., Watanabe, T., Yonekura, H., Yamagishi, S., Makita, Z., Sato, A., Omori, Y., Yamamoto, H., Iwamoto, Y.: AGE down-regulation of monocyte RAGE expression and its association with diabetic complications in type 1 diabetes. *J. Diabetes Complications* 18 (1): 53-59 (2004)

Kaji, T., Sakurai, S., Yamamoto, C., Fujiwara, Y., Yamagishi, S., Yamamoto, H., Kinsella, M.G., Wight T.N.: Characterization of chondroitin/dermatan sulfate proteoglycans synthesized by bovine retinal pericytes in culture. *Biol. Pharm. Bull.* 27 (11):1763-1768 (2004)

Yamamoto, Y., Yonekura, H., Sakurai, S., Tanaka, N., Li, H., Mynt K. M., Kim, C.-H., Harashima, A., Osawa, M., Takeuchi, M., Watanabe, T., and Yamamoto, H.: Nurture vs. nature in diabetic vasculopathy: roles of advanced glycation endproducts and the receptor for them. *International Congress Series 1262 (Atherosclerosis XIII)*, Edited by Mutsuzawa Y., Kita T., Nagai, R., and Teramoto, T., Elsevier Science B.V., Amsterdam, The Netherlands, pp.164-167 (2004)

山本 博: 21世紀のアンチセンス学, *Antisense (アンチセンス DNA/RNA 研究会)* Vol.8 (No.1): 2-3 (2004)

武内章彦, 山本靖彦, 櫻井繁, 渡邊琢夫, 米倉秀人, 山本博: 糖化蛋白による血管障害とその防止の分子機構, *血管 (日本心脈管作動物質学会)* Vol.27 (No.4): 125-130 (2004)

山本 博: 細小血管合併症の成因—序論, 別冊・医学のあゆみ「糖尿病・代謝症候群」2004-2006, 門脇 孝, 小川佳宏, 下村伊一郎編, 医歯薬出版株式会社, pp.414-416 (2004)

山本 博, 二階堂 修: AGE 阻害薬, 「糖尿病学の進歩 2004」, 日本糖尿病学会編, 診断と治療社, pp.196-200 (2004)

小川 智, 山本 博: AGE (advanced glycation end products), 「循環器医が治療する糖尿病と大血管障害」, 代田浩之, 野出孝一編, (株)メジカルビュー社, pp.72-76 (2004)

米倉秀人, 渡邊琢夫, 櫻井 繁, 山本靖彦, 山本 博: 細小血管症の分子機構, 「糖尿病-病態の分子生物学」, 門脇 孝編, 南山堂, pp.101-110 (2004)

山本靖彦, 櫻井 繁, 渡邊琢夫, 米倉秀人, 山本 博: 血管新生系制御, 「老年医学 update2004-05」, 日本老年医学会雑誌編集委員会編, メジカルビュー社, pp25-33 (2004)

### 血管分子生理学

K. Sakurai, L. Cominacini, U. Garbin, AF. Pasini, N. Sasaki, Y. Takuwa, T. Masaki and T. Sawamura.

Induction of endothelin-1 production in endothelial cells via cooperative action between CD40 and lectin-like oxidized LDL receptor LOX-1. *J. Cardiovasc. Pharmacol.* 91(3):182-186, 2004.

S. Usui, N. Sugimoto, N. Takuwa, S. Sakagami, S. Takata, S. Kaneko and Y. Takuwa. Blood lipid mediator sphingosine-1-phosphate potently stimulates platelet derived growth factor-A and -B chain expression through S1P1-Gi-Ras-MAPK-dependent induction of krüppel-like factor 5. *J. Biol. Chem.* 279: 12300-12311, 2004.

Y. Takuwa. Rho-Rho kinase pathway. *Nippon Rinsho.* 62(1): 43-48, 2004.

M. Yamada, Y. Banno, Y. Takuwa, M. Koda, A. Hara and Y. Nozawa. Overexpression of phospholipase D prevents actinomycin D induced apoptosis through potentiation of phosphoinositide 3-kinase signaling pathways in Chinese hamster ovary cells. *Biochem. J.* 378: 649-656, 2004.

D. Shida, J. Kitayama, H. Yamaguchi, K. Hama, J. Aoki, H. Arai, H. Yamashita, K. Mori, A. Sako, T. Konishi, T. Watanabe, T. Sakai, R. Suzuki, H. Ohta, Y. Takuwa and H. Nagawa. Dual mode regulation of migration by lysophosphatidic acid in human gastric cancer cells. *Exp Cell Res.* 301(2):168-78, 2004.

K. Sakurai, Y. Matsuo, T. Sudo, Y. Takuwa, S. Kimura, Y. Kasuya. Role of p38 mitogen-activated protein kinase in thrombus formation. *J Recept Signal Transduct Res.* 24(4): 283-296, 2004.

### **血管分子遺伝学**

Takeda Y. Vascular synthesis of aldosterone: role in hypertension. *Molec Cel Endocrinol* 217 (1-2):75-79 (2004)

Takeda Y. Pleiotropic actions of aldosterone and effects of eplerenone, a selective mineralocorticoid receptor antagonist 27 (11): 781-789 (2004)

Demura M, Takeda Y, Yoneda T, Oda N, Bando Y, Mabuchi H. Surgical stress-induced transient nephrogenic diabetes insipidus (NDI) associated with decreased vasopressin receptor 2 (AVPR2) expression linked to nonsense-mediated mRNA decay and incomplete skewed X-inactivation in a female patient with a heterozygous AVPR2 mutation. *Clin Endocrinol* 60 (4) : 773-775 (2004)

### **心肺病態制御学**

Hiranuma C., Kawakami K., Oyama K., Ota N., Omura K. and Watanabe G.: Hypermethylation of the MYOD1 gene is a novel prognostic factor in the patient with colorectal cancer. *Int. J. Mol. Med.* 13: 413-417, 2004.

Oyama K., Kawakami K., Maeda K., Ishiguro K., and Watanabe G.: The Association Between Methylene-tetrahydrofolate Reductase Polymorphism and Promoter Methylation in Proximal Colon Cancer. *Anticancer Res.* 24: , 649-654, 2004.

Graziano F., Kawakami K., Watanabe G., Ruzzo A., Humar B., Santini D., Catalano V., Ficarelli R., Merriman T., Panunzi S., Testa E., Cascinu S., Bearzi I., Tonini G. and Magnani M.: Association of

thymidylate synthase polymorphisms with gastric cancer susceptibility. *Int. J. Cancer* 112: 1010-1014, 2004.

### 分子情報薬理学

Yamamoto S, Suzuki H, Ueda N, Takahashi Y and Yoshimoto T: Mammalian lipoxygenases, The Eicosanoids 53-59: 2004

Higuchi Y and Yoshimoto T: Promoting effect of polyunsaturated fatty acids on chromosomal giant DNA fragmentation associated with cell death induced by glutathione depletion. *Free Radic Res* 38: 649-658, 2004

Higuchi Y: (Review article) Glutathione depletion-induced chromosomal DNA fragmentation associated with apoptosis and necrosis. *J. Cell Mol Med* 8: 455-464, 2004

### 医学部保健学科

#### 放射線技術科学専攻

#### 医用放射線科学

Tarohda T, Yamamoto M, Amano R. Regional distribution of manganese, iron, copper, and zinc in the rat brain during development. *Anal Bioanal Chem.* 2004 380(2):240-246.

Washiyama K, Amano R, Sasaki J, Kinuya S, Tonami N, Shiokawa Y, Mitsugashira T.  $^{227}\text{Th}$ -EDTMP: A potential therapeutic agent for bone metastasis. *Nucl Med Biol.* 2004 31(7):901-908.

Ono M, Amano R, Enomoto S. Multitracer screening: Search for element delivered directly to brain via nostrils –mouse experiments-. *Proceedings of the Fifth Workshop on Environmental Radioactivity.* 2004. 291-297.

金山洋介, 天野良平, 榎本秀一, 川井恵一, 入江俊章, 利波紀久:  $^{201}\text{Tl}$ 嗅覚イオン輸送の研究 マウス・ラットにおける研究 . *核医学* 2004 41(3): S228.

吉本光喜, 川井恵一, 鷲山幸信, 絹谷清剛, 横山邦彦, 西井龍一, 天野良平: 腫瘍血管新生イメージング薬剤としての $^{125}\text{I}$ -VEGFの評価:  $^{125}\text{I}$ -VEGF<sub>121</sub>と $^{125}\text{I}$ -VEGF<sub>165</sub>の比較 . *核医学* 2004 41(3): S195.

鷲山幸信, 吉本光喜, 川井恵一, 天野良平, 絹谷清剛, 利波紀久:  $^{227}\text{Th}$ -EDTMPの転移性骨腫瘍に対する治療効果の検討 . *核医学* 2004 41(3): S179.

鷲山幸信, 佐々木潤, 小川大介, 天野良平, 三頭聰明: マウス体内での Ra 同位体 (Ra-224, Ra-223) とその娘核種の生体内分布 . *J Nucl RadiochemSci.* 2004 5(suppl.):94.

金山洋介, 蛭沼利江子, 羽場宏光, 榎本秀一, 天野良平: アルカリ金属イオンは鼻腔から脳実質に直接移行するか(2)  $\text{Na}^+$ ,  $\text{K}^+$ の挙動について . *J Nucl RadiochemSci.* 2004 5(suppl.):81.

### 検査技術科学専攻

## 生体情報学

Imai AM, Oda Y, Oda M, Nakanishi I, Kawahara E. Overexpression of E2F1 associated with LOH at RB locus and hyperphosphorylation of RB in non-small cell lung carcinoma. *J Cancer Res Clin Oncol.* 2004 March; 130 (6): 320-326.

## 医療基礎学講座

Hashikawa N, Sakurai H. Phosphorylation of the yeast heat shock transcription factor is implicated in gene-specific activation dependent on the architecture of the heat shock element. *Mol Cell Biol.* 2004 May;24(9):3648-59.

## 自然科学研究科（理学部）

### 生物学科

#### 発生生物学

Koyama T, Obara Y, Iwami M, Sakurai S. Commencement of pupal commitment in late penultimate instar and its hormonal control in wing imaginal discs of the silkworm, *Bombyx mori*. *J Insect Physiol.* 2004 Feb-Mar;50(2-3):123-33.

Koyama T, Iwami M, Sakurai S. Ecdysteroid control of cell cycle and cellular commitment in insect wing imaginal discs. *Mol Cell Endocrinol.* 2004 Jan 15;213(2):155-66.

Elmogly M, Iwami M, Sakurai S. Presence of membrane ecdysone receptor in the anterior silk gland of the silkworm *Bombyx mori*. *Eur J Biochem.* 2004 Aug;271(15):3171-9.

Takaki K, Sakurai S. Regulation of prothoracic gland ecdysteroidogenic activity leading to pupal metamorphosis. *Insect Biochem Mol Biol.* 2003 Dec;33(12):1189-99.

## 自然科学研究科（薬学部）

### 健康薬学講座

#### 生化学

Yoshimura, S., Yamamoto, A., Misumi, Y., Sohda, M., Barr, F. A., Fujii, G., Shakoori, A., Ohno, H., Mihara, K., and Nakamura, N. (2004) *J. Biochem.* 135, 201-216

## 遺伝情報制御学

Shiomi N, Kito S, Oyama M, Matsunaga T, Harada YN, Ikawa M, Okabe M, Shiomi, T. Identification of the XPG region that causes the onset of Cockayne syndrome by using Xpg mutant mice generated by the cDNA-mediated knock-in method. *Mol. Cell. Biol.*, 2004 24: 3712-3719

## 医療薬学講座

### 創剤科学

Q. Li, Y. Kato, H. Muraoka, I. Tamai and A. Tsuji. Transporter-mediated renal handling of nafamostat mesilate, *J.Pharm. Sci.*, **93(2)**, 262-272 (2004).

A. Inano, Y. Sai, Y. kato, I. Tamai, M. Ishiguro and A. Tsuji. Functional regions of organic cation carnitine transporter OCTN2 (SLA22A5): roles in carnitine recognition, *Drug Metabol. Pharmacokin.*, **19(3)**, 180-189 (2004).

T. Nishimura, Y. Kato, T. Ogihara, A. Tsuji, Characterization of renal excretion mechanism for a novel diuretic, M17055, in rats, *J. Pharm. Sci.*, **93(10)**, 2558-66 (2004).

Y. Kawasaki, Y. Kato, Y. Sai, A. Tsuji, Functional characterization of human organic cation transporter OCTN1 single nucleotide polymorphisms in the Japanese population, *J. Pharm. Sci.*, **93(10)**, 2558-2566 (2004).

Y. Kato, K. Yoshida, C. Watanabe, Y. Sai, A. Tsuji, Screening of the interaction between xenobiotic transporters and PDZ proteins. *Pharm. Res.*, **21(10)**, 1886-1894 (2004).

Y. Kato, Y. Sai, K. Yoshida, C. Watanabe, T., Hirata, A. Tsuji, PDZK1 directly regulates the function of organic cation/carnitine transporter OCTN2. *Mol. Pharmacol.*, **11(2)**, (2004).

## がん研究所

### 遺伝子発現

Shimakami T, Hijikata M, Luo H, Ma YY, Kaneko S, Shimotohno K, Murakami S. Effect of interaction between hepatitis C virus NS5A and NS5B on hepatitis C virus RNA replication with the hepatitis C virus replicon. *J Virol.* 2004 Mar;78(6):2738-48

Ma Y, Shimakami T, Luo H, Hayashi N, Murakami S. Mutational Analysis of Hepatitis C Virus NS5B in the Subgenomic Replicon Cell Culture. *J Biol Chem.* 2004 Jun 11;279(24):25474-82. Epub 2004 Mar 22.

Delgermaa L, Hayashi N, Dorjsuren D, Nomura T, Thuy le TT, Murakami S. Subcellular localization of RPB5-mediating protein and its putative functional partner. *Mol Cell Biol.* 2004 Oct;24(19):8556-66.

Khruts S, Masutomi K, Delgermaa L, Arai K, Oishi N, Mizuno H, Hayashi N, Hahn WC, Murakami S. Nucleolin interacts with telomerase. *J Biol Chem.* 2004 Dec 3;279(49):51508-15. Epub 2004 Sep 14.

### 細胞分子病態

Kobayashi M, Hirano A, Kumano T, Xiang S, Mihara K, Haseda Y, Matsui O, Shimizu H, Yamamoto K. Critical role for chicken Rad17 and Rad9 in the cellular response to DNA damage and stalled DNA replication. *Genes Cells* 2004, 9(4): 291-303.

### 細胞情報調節

Kawakami, T., Tateishi, K., Yamano, Y., Ishikawa, T., Kuroki, K., Nishimura, T. Protein identification from product ion spectra of peptides validated by correlation between measured and predicted elution times in liquid chromatography/mass spectrometry. *PROTEOMICS*, in press.

### 分子標的薬剤開発センター

Imamura R, Konaka K, Matsumoto N, Hasegawa M, Fukui M, Mukaida N, Kinoshita T, Suda T. Fas ligand induces cell-autonomous NF-kappaB activation and interleukin-8 production by a mechanism distinct from that of tumor necrosis factor-alpha. *J Biol Chem.* 2004 Nov 5;279(45):46415-23.

Wang Y, Hasegawa M, Imamura R, Kinoshita T, Kondo C, Konaka K, Suda T. PYNOD, a novel Apaf-1/CED4-like protein is an inhibitor of ASC and caspase-1. *Int Immunol.* 2004 Jun;16(6):777-86.

## 学際科学実験センター

### 遺伝子改変動物分野

Mori R, Kondo T, Nishie T, Oshima T, and Asano M. Impairment of skin wound healing in  $\beta$ -1,4-galactosyltransferase-deficient mice with reduced leukocyte recruitment. *Am. J. Pathol.* 2004;164:1303-1314.

Kotani N, Asano M, Inoue M, Iwakura Y, and Takasaki S. Polylysosamine synthesis and branch formation of N-glycans in  $\beta$ -1,4-galactosyltransferase-1 deficient mice. *Arch. Biochem. Biophys.* 2004;426:258-265.

### トレーサー情報解析分野

Kinuya S, Li X-F, Yokoyama K, Mori H, Shiba K, Watanabe N, Shuke N, Bunko H, Michigishi T, Tonami N. Limitations of  $^{99m}\text{Tc}$  tetrofosmin in assessing reversal effects of verapamil on the function of multi-drug resistance associated protein 1. *Nuclear Medicine Communications.* 2004; 25(6): 585-9.

Kinuya S, Yokoyama K, Koshida K, Mori M, Shiba K, Watanabe N, Shuke N, Bai J, Michigishi T, Tonami N. Improved survival of mice bearing liver metastases of colon cancer cells treated with a combination of radioimmunotherapy and antiangiogenic therapy. *Eur J Nucl Med Mol Imagin;* 2004 July; 31(7): 981-5.

Bai J, Yokoyama K, Kinuya S, Shiba K, Matsushita R, Nomura M, Michigishi T, Tonami N. In vitro detection of mdrl mRNA in murine leukemia cells with  $^{111}\text{In}$ -labeled oligonucleotide. *Eur J Nucl Med Mol Imaging.* 2004 Nov; 31(11): 1523-9.

Ogawa K, Mukai T, Arano Y, Hanaoka H, Hashimoto K, Nishimura H, Saji H. Design of radiopharmaceutical for the palliation of painful bone metastases: rhenium-186-labeled bisphosphonate derivative, *J Labelled Cmp Radiopharm,* 2004; 47(11): 753-61

Shiba K., Ogawa K., Mori H. In vitro characterization of radioiodinated (+)-2-[4-(4-iodophenyl) piperidino]cyclohexanol [(+)-pIV] as a sigma-1 receptor ligand. *Bioorg. Med. Chem.* 2005 Feb; 13(4): 1095-9.